

AUDIFIED

MULTIDRIVE PRO

User Manual

Version 1.2.0

Webpage: audified.com

Support: audified.zendesk.com

Table of contents

Introduction	2
Software Installation	2
Product activation	3
Software Uninstallation	3
Opening the plug-in	3
Working with MultiDrive PRO	4
Control overview	4
Preset management	5
Services menu	5
Utility menu	5
Effect pedals list	6
Acknowledgement	6
Pedal controls description	7
808-Scream	7
9-Scream	7
B-Drive	8
O-Drive	8
S-Drive	9
One-Distortion	9
One-Distortion	10
XXL-Distortion	10
M-Distortion	11
F-Fuzz	11
F-Fuzz	12
T-Booster	12
Technical info	13
Specification	13
Requirements	13
Conclusion	13

Introduction

Dear musician,

Thank you for purchasing Audified MultiDrive PRO. We hope that you will be pleased with its sound and that it will bring you new inspiration for your work.

Although the plug-in is very simple to use, we have created this manual to sum up the basics and to give you some additional information.

Software Installation

Get the recent version of the plug-in from your user account on our website:

Webpage: audified.com/account/downloads


- **Windows:** If the downloaded file is packed, unzip it. Run the installer and follow the on-screen instructions. You can select the destination path and the installed plug-in format during the process.
- **Mac:** Mount the downloaded disk image and run the installer. You can select the installed plug-in format by clicking the Customize button. Plug-ins are installed in the standard locations.

Product activation

Starting with version 1.2.0, you will automatically create an account via checkout if you are a first-time buyer. You can also sign in to your account anytime on our site audified.com via the Account icon in the right corner to access your Account dashboard.

Upon completing the purchase, you will receive an automatic email containing your serial numbers and the download link for your purchased products.

When you first launch the plugin, you will be asked to enter the serial number, or you can use the product for a limited time as a trial.



The screenshot shows a light blue dialog box with the following content:

- Header: **Welcome to MultiDrive PRO!**
- Instruction: Enter your license key to get started.
- Input field: A text box containing the license key `1E7B43-5D028D-47D5B3-04D0EF-44B5F8-1259FB` with a copy icon on the right.
- Buttons: A light gray button labeled **START TRIAL** and a dark gray button labeled **SUBMIT**.

Software Uninstallation

- **Windows:** Navigate to the MultiDrive PRO program folder in the Start menu and run the uninstaller.
- **Mac:** Open the provided disk image and run the uninstaller.

Opening the plug-in

AUDIFIED MultiDrive PRO works in all major digital audio workstations (recording applications) as a plug-in.

To open the plug-in, locate the plug-in selection (usually a hierarchic menu). MultiDrive PRO is listed in the Distortion group or in the AUDIFIED group when the manufacturer sorting is offered.

Working with MultiDrive PRO

Control overview



Preset management

Presets can be loaded and saved in the display area.

- The left button offers a selection from a preset list, structured in several submenus.
- The mid button opens a menu allowing users to save or delete user presets.

Services menu

A click to the burger menu opens the Services menu. Services menu allows access to:

- user manual,
- product updates,
- feedback form on the Audified web,
- support,
- Audified website,
- product version and other info,
- license information.

Utility menu

Clicking the wrench symbol opens the utility menu. You can easily copy the state of one plugin instance to the other instance using Copy and Paste functionality.

Tuner

Clicking the tuning fork symbol opens the tuner. You can use the tuner to tune your guitar or bass. You can adjust the base tuning frequency. By default, it is set to be 440 Hz.

Effect pedals list

- 808-Scream
- 9- Scream
- B-Drive
- O-Drive
- S-Drive
- One-Distortion
- BAT-Distortion
- XXL-Distortion
- M-Distortion
- F-Fuzz
- M-Fuzz
- T-Boost

Acknowledgement

All pedals are modeled with deep respect to the work of hardware engineers who designed the hardware products. All related product names, designs and trademarks are the property of their respective owners.

Pedal controls description

808-Scream



DRIVE

Adjusts the level of overdrive.


STONE

Adds crispness (clockwise) or softens the sound (counterclockwise).

LEVEL

Adjusts the volume of the sound.

9-Scream



DRIVE

Adjusts the level of overdrive.

STONE

Adds crispness (clockwise) or softens the sound (counterclockwise).

LEVEL

Adjusts the volume of the sound.

B-Drive



GAIN

Adjusts the level of overdrive.


STONE

Controls the tone of the effect. Turn clockwise to get brighter sound and vice versa.

LEVEL

Adjusts the output volume.

O-Drive




OVER DRIVE

Adjusts the level of overdrive.

LEVEL

Adjusts the output volume.

S-Drive



DRIVE

Adjusts the amount of overdrive.


TONE

Controls the tone of the effect. Turn clockwise to get brighter sound and vice versa.

LEVEL

Adjusts the output volume.

One-Distortion



DIST

Adjusts the amount of distortion.

TONE

Controls the tone of the effect. Turn clockwise to get brighter sound and vice versa.

LEVEL

Adjusts the output volume.

One-Distortion



DISTORTION

Controls the gain of the circuit, more gain = more distortion.

FILTER

Adjusts the amount of treble. The more to the right, the less treble.

VOLUME

Sets the signal output level of the pedal.

XXL-Distortion



DISTORTION

Controls the amount of distortion.

OUTPUT

Adjusts the output volume of the pedal.

M-Distortion



DIST

Adjusts the intensity of distortion.

LEVEL

Adjusts the effect volume level.

LOW

Controls the volume of low frequencies (± 15 dB).

HIGH

Controls the volume of high frequencies (± 15 dB).


MID LEVEL

Controls the volume of middle frequencies (± 15 dB).

MID FREQ

Sets the frequency of the middle range.

F-Fuzz



VOLUME

Adjusts the output level.

FUZZ

Adjusts the sustain length.

F-Fuzz



VOLUME

Adjusts the output level.


SUSTAIN

Adjusts the length of the sustain.

STONE

Controls the tone of the effect. Turn clockwise to get brighter sound and vice versa.

T-Booster



Treble Booster has no user-adjustable parameters. Boosting the signal and reducing the low-end part of the spectrum, it helps you to gain more distorted, yet focused sound from the amp.

Technical info

Specification

- AAX, AU, VST3,
- macOS, Windows plug-ins.

Requirements

- macOS 10.15 and newer (64bit format delivered),
- Windows 10 and newer (64bit format delivered),
- 150 MB of disk space required.

Conclusion

We are confident that you can now work with MultiDrive PRO. However, if anything seems unclear or you need assistance, feel free to contact us.

Support: audified.zendesk.com

Thanks for using AUDIFIED products.